



Smart LED Display System

X Series

Smart LED Display System

Price List

LP-001-031210

ThinkSign Optoelectronics INC

6708 Grade Lane Suite 706
Louisville, Kentucky 40213
USA

Toll Free: 877-767-9949
Fax: 866-667-0537
E-mail: Sales@ThinkSign.com
Support@ThinkSign.com

www.ThinkSign.com

Contents

| | |
|---------------------------------|----|
| Notes | 2 |
| Guide | 3 |
| Xpress | |
| Xpress 16MM Monochrome | 6 |
| Xpress 20MM Monochrome | 8 |
| Xpress 25MM Monochrome | 10 |
| Xpress 32MM Monochrome | 12 |
| Xcellence | |
| Xcellence 16MM Full-Color | 16 |
| Xcellence 20MM Full-Color | 18 |
| Xcellence 25MM Full-Color | 21 |
| Xcellence 32MM Full-Color | 23 |
| Xtreme | |
| Xtreme 16/20/25/32MM Full-Color | 25 |
| Accessories | |
| Module | 27 |
| Controller & Communication | 28 |
| Components | 29 |

Notes

Applicability

This Price List is applicable to all customers of the United States.

Validity

This Price List is valid from August 2010. It is subject to change without notice.

Currency


The price of the signs are listed in each category, using US currency.

Shipping Charges

Shipping charges will be added to the invoice.


Guide

How to figure out the final price?





Monochrome **Smart LED** Display system



Xpress[®] 16/20/25/32 Series


Monochrome Smart LED Display system

- Monochrome sign 16/20/25/32
- Suitable for shops, hotels, motels, restaurants, companies, billboards, stores, schools, churches and so on.
- Timely and simultaneously display texts, animation and graphics.



Model Number Guide:

Xpress V1-20-32*96-2R



Xpress[®] I6 Series

Monochrome Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 16 SERIES | | | | | | |
| Xpress V1-16-32*64-1R | 1.67X3.35X0.60 | 3.1 - 20.2 | 10/4 | 283 | 89 | |
| Xpress V1-16-32*96-1R | 1.67X5.03X0.60 | 3.1 - 20.2 | 16/4 | 382 | 134 | |
| Xpress V1-16-32*112-1R | 1.67X5.87X0.60 | 3.1 - 20.2 | 18/4 | 474 | 147 | |
| Xpress V1-16-32*128-1R | 1.67X6.71X0.60 | 3.1 - 20.2 | 21/4 | 566 | 162 | |
| Xpress V1-16-32*144-1R | 1.67X7.55X0.60 | 3.1 - 20.2 | 24/4 | 573 | 194 | |
| Xpress V1-16-32*160-1R | 1.67X8.39X0.60 | 3.1 - 20.2 | 26/4 | 665 | 212 | |
| Xpress V1-16-32*176-1R | 1.67X9.23X0.60 | 3.1 - 20.2 | 29/4 | 757 | 226 | |
| Xpress V1-16-32*192-1R | 1.67X10.07X0.60 | 3.1 - 20.2 | 32/4 | 764 | 249 | |
| | | | | | | |
| Xpress V1-16-48*64-1R | 2.51X3.35X0.60 | 3.1 - 30.2 | 10/6 | 432 | 137 | |
| Xpress V1-16-48*96-1R | 2.51X5.03X0.60 | 3.1 - 30.2 | 16/6 | 590 | 215 | |
| Xpress V1-16-48*112-1R | 2.51X5.87X0.60 | 3.1 - 30.2 | 18/6 | 727 | 234 | |
| Xpress V1-16-48*128-1R | 2.51X6.71X0.60 | 3.1 - 30.2 | 21/6 | 864 | 254 | |
| Xpress V1-16-48*144-1R | 2.51X7.55X0.60 | 3.1 - 30.2 | 24/6 | 885 | 314 | |
| Xpress V1-16-48*160-1R | 2.51X8.39X0.60 | 3.1 - 30.2 | 26/6 | 1022 | 338 | |
| | | | | | | |
| Xpress V1-16-64*96-1R | 3.35X5.03X0.60 | 3.1 - 40.3 | 16/8 | 764 | 255 | |
| Xpress V1-16-64*112-1R | 3.35X5.87X0.60 | 3.1 - 40.3 | 18/8 | 948 | 283 | |
| Xpress V1-16-64*128-1R | 3.35X6.71X0.60 | 3.1 - 40.3 | 21/8 | 1132 | 307 | |
| Xpress V1-16-64*144-1R | 3.35X7.55X0.60 | 3.1 - 40.3 | 24/8 | 1146 | 379 | |
| Xpress V1-16-64*160-1R | 3.35X8.39X0.60 | 3.1 - 40.3 | 26/8 | 1330 | 401 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs – Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information).

Additional Sizes - May be available upon request.

Xpress[®] I6 Series

Monochrome Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|------------------------|----------------------|----------------------------|-----------------------------|--------------|-----------------|---------------|
| THE 16 SERIES | | | | | | |
| Xpress V1-16-80*112-1R | 4.19X5.87X0.60 | 3.1 - 50.4 | 18/10 | 1201 | 352 | |
| Xpress V1-16-80*128-1R | 4.19X6.71X0.60 | 3.1 - 50.4 | 21/10 | 1430 | 382 | |
| Xpress V1-16-80*144-1R | 4.19X7.55X0.60 | 3.1 - 50.4 | 24/10 | 1458 | 474 | |
| Xpress V1-16-80*160-1R | 4.19X8.39X0.60 | 3.1 - 50.4 | 26/10 | 1687 | 502 | |
| Xpress V1-16-80*176-1R | 4.19X9.23X0.60 | 3.1 - 50.4 | 29/10 | 1916 | 530 | |
| | | | | | | |
| Xpress V1-16-96*128-1R | 5.03X6.71X0.60 | 3.1 - 60.5 | 21/12 | 1698 | 429 | |
| Xpress V1-16-96*144-1R | 5.03X7.55X0.60 | 3.1 - 60.5 | 24/12 | 1719 | 533 | |
| Xpress V1-16-96*160-1R | 5.03X8.39X0.60 | 3.1 - 60.5 | 26/12 | 1995 | 564 | |
| Xpress V1-16-96*176-1R | 5.03X9.23X0.60 | 3.1 - 60.5 | 29/12 | 2271 | 596 | |
| Xpress V1-16-96*192-1R | 5.03X10.07X0.60 | 3.1 - 60.5 | 32/12 | 2547 | 650 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs – Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information).

Additional Sizes - May be available upon request.

Xpress[®] 20 Series

Monochrome Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 20 SERIES | | | | | | |
| Xpress V1-20-16*64-2R | 1.04X4.19X0.60 | 3.9 - 12.6 | 10/2 | 139 | 82 | |
| Xpress V1-20-16*96-2R | 1.04X6.29X0.60 | 3.9 - 12.6 | 16/2 | 228 | 121 | |
| Xpress V1-20-16*112-2R | 1.04X7.34X0.60 | 3.9 - 12.6 | 18/2 | 253 | 133 | |
| Xpress V1-20-16*128-2R | 1.04X8.39X0.60 | 3.9 - 12.6 | 21/2 | 276 | 147 | |
| Xpress V1-20-16*144-2R | 1.04X9.44X0.60 | 3.9 - 12.6 | 24/2 | 342 | 179 | |
| Xpress V1-20-16*160-2R | 1.04X10.49X0.60 | 3.9 - 12.6 | 26/2 | 367 | 202 | |
| Xpress V1-20-16*176-2R | 1.04X11.54X0.60 | 3.9 - 12.6 | 29/2 | 392 | 213 | |
| Xpress V1-20-16*192-2R | 1.04X12.59X0.60 | 3.9 - 12.6 | 32/2 | 456 | 226 | |
| | | | | | | |
| Xpress V1-20-32*64-2R | 2.09X4.19X0.60 | 3.9 - 25.2 | 10/4 | 278 | 136 | |
| Xpress V1-20-32*96-2R | 2.09X6.29X0.60 | 3.9 - 25.2 | 16/4 | 456 | 212 | |
| Xpress V1-20-32*112-2R | 2.09X7.34X0.60 | 3.9 - 25.2 | 18/4 | 506 | 231 | |
| Xpress V1-20-32*128-2R | 2.09X8.39X0.60 | 3.9 - 25.2 | 21/4 | 552 | 258 | |
| Xpress V1-20-32*144-2R | 2.09X9.44X0.60 | 3.9 - 25.2 | 24/4 | 684 | 305 | |
| Xpress V1-20-32*160-2R | 2.09X10.49X0.60 | 3.9 - 25.2 | 26/4 | 734 | 347 | |
| | | | | | | |
| Xpress V1-20-48*64-2R | 3.14X4.19X0.60 | 3.9 - 37.8 | 10/6 | 417 | 183 | |
| Xpress V1-20-48*96-2R | 3.14X6.29X0.60 | 3.9 - 37.8 | 16/6 | 684 | 291 | |
| Xpress V1-20-48*112-2R | 3.14X7.34X0.60 | 3.9 - 37.8 | 18/6 | 759 | 322 | |
| Xpress V1-20-48*128-2R | 3.14X8.39X0.60 | 3.9 - 37.8 | 21/6 | 828 | 351 | |
| Xpress V1-20-48*144-2R | 3.14X9.44X0.60 | 3.9 - 37.8 | 24/6 | 1026 | 419 | |
| Xpress V1-20-48*160-2R | 3.14X10.49X0.60 | 3.9 - 37.8 | 26/6 | 1101 | 473 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs – Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information).

Additional Sizes - May be available upon request.

Xpress[®] 20 Series

Monochrome Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 20 SERIES | | | | | | |
| Xpress V1-20-64*96-2R | 4.19X6.29X0.60 | 3.9 - 50.4 | 16/8 | 912 | 370 | |
| Xpress V1-20-64*112-2R | 4.19X7.34X0.60 | 3.9 - 50.4 | 18/8 | 1012 | 408 | |
| Xpress V1-20-64*128-2R | 4.19X8.39X0.60 | 3.9 - 50.4 | 21/8 | 1104 | 444 | |
| Xpress V1-20-64*144-2R | 4.19X9.44X0.60 | 3.9 - 50.4 | 24/8 | 1368 | 533 | |
| Xpress V1-20-64*160-2R | 4.19X10.49X0.60 | 3.9 - 50.4 | 26/8 | 1468 | 599 | |
| | | | | | | |
| Xpress V1-20-80*112-2R | 5.24X7.34X0.60 | 3.9 - 63.0 | 18/10 | 1265 | 495 | |
| Xpress V1-20-80*128-2R | 5.24X8.39X0.60 | 3.9 - 63.0 | 21/10 | 1380 | 538 | |
| Xpress V1-20-80*144-2R | 5.24X9.44X0.60 | 3.9 - 63.0 | 24/10 | 1710 | 647 | |
| Xpress V1-20-80*160-2R | 5.24X10.49X0.60 | 3.9 - 63.0 | 26/10 | 1835 | 726 | |
| Xpress V1-20-80*176-2R | 5.24X11.54X0.60 | 3.9 - 63.0 | 29/10 | 1960 | 766 | |
| | | | | | | |
| Xpress V1-20-96*128-2R | 6.29X8.39X0.60 | 3.9 - 75.6 | 21/12 | 1656 | 631 | |
| Xpress V1-20-96*144-2R | 6.29X9.44X0.60 | 3.9 - 75.6 | 24/12 | 2052 | 761 | |
| Xpress V1-20-96*160-2R | 6.29X10.49X0.60 | 3.9 - 75.6 | 26/12 | 2202 | 851 | |
| Xpress V1-20-96*176-2R | 6.29X11.54X0.60 | 3.9 - 75.6 | 29/12 | 2352 | 899 | |
| Xpress V1-20-96*192-2R | 6.29X12.59X0.60 | 3.9 - 75.6 | 32/12 | 2736 | 953 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs - Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information).

Additional Sizes - May be available upon request.

Xpress[®] 25 Series

Monochrome Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 25 SERIES | | | | | | |
| Xpress V1-25-16*80-2R | 1.31X6.55X0.60 | 4.9 - 15.7 | 13/2 | 191 | 135 | |
| Xpress V1-25-16*96-2R | 1.31X7.86X0.60 | 4.9 - 15.7 | 16/2 | 214 | 151 | |
| Xpress V1-25-16*112-2R | 1.31X9.18X0.60 | 4.9 - 15.7 | 18/2 | 275 | 183 | |
| Xpress V1-25-16*128-2R | 1.31X10.49X0.60 | 4.9 - 15.7 | 21/2 | 298 | 217 | |
| Xpress V1-25-16*144-2R | 1.31X11.80X0.60 | 4.9 - 15.7 | 24/2 | 321 | 234 | |
| Xpress V1-25-16*160-2R | 1.31X13.11X0.60 | 4.9 - 15.7 | 26/2 | 382 | 281 | |
| | | | | | | |
| Xpress V1-25-32*80-2R | 2.62X6.55X0.60 | 4.9 - 31.5 | 13/4 | 382 | 231 | |
| Xpress V1-25-32*96-2R | 2.62X7.86X0.60 | 4.9 - 31.5 | 16/4 | 428 | 269 | |
| Xpress V1-25-32*112-2R | 2.62X9.18X0.60 | 4.9 - 31.5 | 18/4 | 550 | 342 | |
| Xpress V1-25-32*128-2R | 2.62X10.49X0.60 | 4.9 - 31.5 | 21/4 | 596 | 385 | |
| Xpress V1-25-32*144-2R | 2.62X11.80X0.60 | 4.9 - 31.5 | 24/4 | 642 | 413 | |
| Xpress V1-25-32*160-2R | 2.62X13.11X0.60 | 4.9 - 31.5 | 26/4 | 764 | 495 | |
| | | | | | | |
| Xpress V1-25-48*80-2R | 3.93X6.55X0.60 | 4.9 - 47.2 | 13/6 | 573 | 319 | |
| Xpress V1-25-48*96-2R | 3.93X7.86X0.60 | 4.9 - 47.2 | 16/6 | 642 | 373 | |
| Xpress V1-25-48*112-2R | 3.93X9.18X0.60 | 4.9 - 47.2 | 18/6 | 825 | 474 | |
| Xpress V1-25-48*128-2R | 3.93X10.49X0.60 | 4.9 - 47.2 | 21/6 | 894 | 530 | |
| Xpress V1-25-48*144-2R | 3.93X11.80X0.60 | 4.9 - 47.2 | 24/6 | 963 | 569 | |
| Xpress V1-25-48*160-2R | 3.93X13.11X0.60 | 4.9 - 47.2 | 26/6 | 1146 | 680 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs – Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information).

Additional Sizes - May be available upon request.

Xpress[®] 25 Series

Monochrome Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 25 SERIES | | | | | | |
| Xpress V1-25-64*96-2R | 5.24X7.86X0.60 | 4.9 - 63.0 | 16/8 | 856 | 481 | |
| Xpress V1-25-64*112-2R | 5.24X9.18X0.60 | 4.9 - 63.0 | 18/8 | 1100 | 652 | |
| Xpress V1-25-64*128-2R | 5.24X10.49X0.60 | 4.9 - 63.0 | 21/8 | 1192 | 674 | |
| Xpress V1-25-64*144-2R | 5.24X11.80X0.60 | 4.9 - 63.0 | 24/8 | 1284 | 725 | |
| Xpress V1-25-64*160-2R | 5.24X13.11X0.60 | 4.9 - 63.0 | 26/8 | 1528 | 864 | |
| | | | | | | |
| Xpress V1-25-80*112-2R | 6.55X9.18X0.60 | 4.9 - 78.7 | 18/10 | 1375 | 738 | |
| Xpress V1-25-80*128-2R | 6.55X10.49X0.60 | 4.9 - 78.7 | 21/10 | 1490 | 820 | |
| Xpress V1-25-80*144-2R | 6.55X11.80X0.60 | 4.9 - 78.7 | 24/10 | 1605 | 882 | |
| Xpress V1-25-80*160-2R | 6.55X13.11X0.60 | 4.9 - 78.7 | 26/10 | 1910 | 1050 | |
| Xpress V1-25-80*176-2R | 6.55X14.42X0.60 | 4.9 - 78.7 | 29/10 | 2025 | 1110 | |
| | | | | | | |
| Xpress V1-25-96*128-2R | 7.86X10.49X0.60 | 4.9 - 94.5 | 21/12 | 1788 | 965 | |
| Xpress V1-25-96*144-2R | 7.86X11.80X0.60 | 4.9 - 94.5 | 24/12 | 1926 | 1037 | |
| Xpress V1-25-96*160-2R | 7.86X13.11X0.60 | 4.9 - 94.5 | 26/12 | 2292 | 1234 | |
| Xpress V1-25-96*176-2R | 7.86X14.42X0.60 | 4.9 - 94.5 | 29/12 | 2430 | 1336 | |
| Xpress V1-25-96*192-2R | 7.86X15.73X0.60 | 4.9 - 94.5 | 32/12 | 2568 | 1408 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs – Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information).

Additional Sizes - May be available upon request.

Xpress[®] 32 Series

Monochrome Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 32 SERIES | | | | | | |
| Xpress V1-32-16*48-4R | 1.67X5.03X0.60 | 6.3 - 20.2 | 8/2 | 223 | 130 | |
| Xpress V1-32-16*64-4R | 1.67X6.71X0.60 | 6.3 - 20.2 | 10/2 | 273 | 157 | |
| Xpress V1-32-16*80-4R | 1.67X8.39X0.60 | 6.3 - 20.2 | 13/2 | 359 | 202 | |
| Xpress V1-32-16*96-4R | 1.67X10.07X0.60 | 6.3 - 20.2 | 16/2 | 410 | 241 | |
| Xpress V1-32-16*128-4R | 1.67X13.42X0.60 | 6.3 - 20.2 | 21/2 | 546 | 323 | |
| Xpress V1-32-16*160-4R | 1.67X16.78X0.60 | 6.3 - 20.2 | 26/2 | 718 | 413 | |
| | | | | | | |
| Xpress V1-32-24*48-4R | 2.51X5.03X0.60 | 6.3 - 30.2 | 8/3 | 349 | 211 | |
| Xpress V1-32-24*64-4R | 2.51X6.71X0.60 | 6.3 - 30.2 | 10/3 | 420 | 249 | |
| Xpress V1-32-24*80-4R | 2.51X8.39X0.60 | 6.3 - 30.2 | 13/3 | 559 | 346 | |
| Xpress V1-32-24*96-4R | 2.51X10.07X0.60 | 6.3 - 30.2 | 16/3 | 662 | 416 | |
| Xpress V1-32-24*128-4R | 2.51X13.42X0.60 | 6.3 - 30.2 | 21/3 | 844 | 494 | |
| Xpress V1-32-24*160-4R | 2.51X16.78X0.60 | 6.3 - 30.2 | 26/3 | 1117 | 629 | |
| | | | | | | |
| Xpress V1-32-32*48-4R | 3.35X5.03X0.60 | 6.3 - 40.3 | 8/4 | 445 | 251 | |
| Xpress V1-32-32*64-4R | 3.35X6.71X0.60 | 6.3 - 40.3 | 10/4 | 546 | 296 | |
| Xpress V1-32-32*80-4R | 3.35X8.39X0.60 | 6.3 - 40.3 | 13/4 | 718 | 422 | |
| Xpress V1-32-32*96-4R | 3.35X10.07X0.60 | 6.3 - 40.3 | 16/4 | 819 | 454 | |
| Xpress V1-32-32*128-4R | 3.35X13.42X0.60 | 6.3 - 40.3 | 21/4 | 1092 | 584 | |
| Xpress V1-32-32*160-4R | 3.35X16.78X0.60 | 6.3 - 40.3 | 26/4 | 1436 | 745 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs – Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information).

Additional Sizes - May be available upon request.

Xpress[®] 32 Series

Monochrome Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 32 SERIES | | | | | | |
| Xpress V1-32-48*64-4R | 5.03X6.71X0.60 | 6.3 - 60.5 | 10/6 | 819 | 418 | |
| Xpress V1-32-48*80-4R | 5.03X8.39X0.60 | 6.3 - 60.5 | 13/6 | 1077 | 558 | |
| Xpress V1-32-48*96-4R | 5.03X10.07X0.60 | 6.3 - 60.5 | 16/6 | 1229 | 634 | |
| Xpress V1-32-48*128-4R | 5.03X13.42X0.60 | 6.3 - 60.5 | 21/6 | 1638 | 819 | |
| Xpress V1-32-48*160-4R | 5.03X16.78X0.60 | 6.3 - 60.5 | 26/6 | 2155 | 1051 | |
| Xpress V1-32-64*80-4R | 6.71X8.39X0.60 | 6.3 - 80.6 | 13/8 | 1436 | 721 | |
| Xpress V1-32-64*96-4R | 6.71X10.07X0.60 | 6.3 - 80.6 | 16/8 | 1638 | 815 | |
| Xpress V1-32-64*128-4R | 6.71X13.42X0.60 | 6.3 - 80.6 | 21/8 | 2184 | 1054 | |
| Xpress V1-32-64*160-4R | 6.71X16.78X0.60 | 6.3 - 80.6 | 26/8 | 2873 | 1389 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs – Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information).

Additional Sizes - May be available upon request.

cellence[®]

Full color **Smart LED** Display system




Xcellence[®] 16/20/25/32 Series
Full color Smart LED Display system

- Medium-small size full-color sign
16/20/25/32
- Suitable for shops, hotels, motels, restaurants, companies, billboards, stores, schools, churches, and so on.
- Timely and simultaneously display texts, animation and graphics.



Model Number Guide:

Xcellence V1-20-32*96-1R1G1B



xcellence[®] I6 Series
Full color Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|-------------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 16 SERIES | | | | | | |
| Xcellence V1-16-32*64-1R1G1B | 1.67X3.35X0.60 | 3.1 - 20.2 | 10/4 | 345 | 93 | |
| Xcellence V1-16-32*96-1R1G1B | 1.67X5.03X0.60 | 3.1 - 20.2 | 16/4 | 476 | 140 | |
| Xcellence V1-16-32*112-1R1G1B | 1.67X5.87X0.60 | 3.1 - 20.2 | 18/4 | 583 | 154 | |
| Xcellence V1-16-32*128-1R1G1B | 1.67X6.71X0.60 | 3.1 - 20.2 | 21/4 | 690 | 169 | |
| Xcellence V1-16-32*144-1R1G1B | 1.67X7.55X0.60 | 3.1 - 20.2 | 24/4 | 714 | 202 | |
| Xcellence V1-16-32*160-1R1G1B | 1.67X8.39X0.60 | 3.1 - 20.2 | 26/4 | 821 | 221 | |
| Xcellence V1-16-32*176-1R1G1B | 1.67X9.23X0.60 | 3.1 - 20.2 | 29/4 | 928 | 236 | |
| Xcellence V1-16-32*192-1R1G1B | 1.67X10.07X0.60 | 3.1 - 20.2 | 32/4 | 952 | 260 | |
| | | | | | | |
| Xcellence V1-16-48*64-1R1G1B | 2.51X3.35X0.60 | 3.1 - 30.2 | 10/6 | 526 | 142 | |
| Xcellence V1-16-48*96-1R1G1B | 2.51X5.03X0.60 | 3.1 - 30.2 | 16/6 | 728 | 223 | |
| Xcellence V1-16-48*112-1R1G1B | 2.51X5.87X0.60 | 3.1 - 30.2 | 18/6 | 890 | 243 | |
| Xcellence V1-16-48*128-1R1G1B | 2.51X6.71X0.60 | 3.1 - 30.2 | 21/6 | 1052 | 265 | |
| Xcellence V1-16-48*144-1R1G1B | 2.51X7.55X0.60 | 3.1 - 30.2 | 24/6 | 1092 | 326 | |
| Xcellence V1-16-48*160-1R1G1B | 2.51X8.39X0.60 | 3.1 - 30.2 | 26/6 | 1254 | 351 | |
| | | | | | | |
| Xcellence V1-16-64*96-1R1G1B | 3.35X5.03X0.60 | 3.1 - 40.3 | 16/8 | 952 | 266 | |
| Xcellence V1-16-64*112-1R1G1B | 3.35X5.87X0.60 | 3.1 - 40.3 | 18/8 | 1166 | 296 | |
| Xcellence V1-16-64*128-1R1G1B | 3.35X6.71X0.60 | 3.1 - 40.3 | 21/8 | 1380 | 322 | |
| Xcellence V1-16-64*144-1R1G1B | 3.35X7.55X0.60 | 3.1 - 40.3 | 24/8 | 1428 | 395 | |
| Xcellence V1-16-64*160-1R1G1B | 3.35X8.39X0.60 | 3.1 - 40.3 | 26/8 | 1642 | 419 | |

Important Notes:

- Cancellation** - Order cancellations are subject to a charge of 25% of the List Price.
- Price of double-side signs** - Twice of that of single-side signs listed above.
- Multiple Signs** on One Order - When placing orders for multiple signs, please specify on your order:
Master/Master Configuration (each sign capable of displaying different information) - OR -
Master/Slave Configuration (each sign will display the same information)
- Controller** - Choose industrial computer controller if you want Xcellence series to be video-supportive.
- Additional Sizes** - May be available upon request.

xcellence[®] I6 Series
Full color Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|--------------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 16 SERIES | | | | | | |
| Xcellence V1-16-80*112-1R1G1B | 4.19X5.87X0.60 | 3.1 - 50.4 | 18/10 | 1473 | 368 | |
| Xcellence V1-16-80*128-1R1G1B | 4.19X6.71X0.60 | 3.1 - 50.4 | 21/10 | 1742 | 400 | |
| Xcellence V1-16-80*144-1R1G1B | 4.19X7.55X0.60 | 3.1 - 50.4 | 24/10 | 1806 | 494 | |
| Xcellence V1-16-80*160-1R1G1B | 4.19X8.39X0.60 | 3.1 - 50.4 | 26/10 | 2075 | 524 | |
| Xcellence V1-16-80*176-1R1G1B | 4.19X9.23X0.60 | 3.1 - 50.4 | 29/10 | 2440 | 555 | |
| Xcellence V1-16-96*128-1R1G1B | 5.03X6.71X0.60 | 3.1 - 60.5 | 21/12 | 2104 | 451 | |
| Xcellence V1-16-96*144-1R1G1B | 5.03X7.55X0.60 | 3.1 - 60.5 | 24/12 | 2184 | 557 | |
| Xcellence V1-16-96*160-1R1G1B | 5.03X8.39X0.60 | 3.1 - 60.5 | 26/12 | 2508 | 591 | |
| Xcellence V1-16-96*176-1R1G1B | 5.03X9.23X0.60 | 3.1 - 60.5 | 29/12 | 2928 | 626 | |
| Xcellence V1-16-96*192-1R1G1B | 5.03X10.07X0.60 | 3.1 - 60.5 | 32/12 | 3105 | 683 | |
| Xcellence V1-16-112*144-1R1G1B | 5.87X7.55X0.60 | 3.1 - 70.6 | 24/14 | 2646 | 656 | |
| Xcellence V1-16-112*160-1R1G1B | 5.87X8.39X0.60 | 3.1 - 70.6 | 26/14 | 3031 | 675 | |
| Xcellence V1-16-112*176-1R1G1B | 5.87X9.23X0.60 | 3.1 - 70.6 | 29/14 | 3416 | 738 | |
| Xcellence V1-16-112*192-1R1G1B | 5.87X10.07X0.60 | 3.1 - 70.6 | 32/14 | 3528 | 800 | |
| Xcellence V1-16-112*224-1R1G1B | 5.87X11.75X0.60 | 3.1 - 70.6 | 37/14 | 4298 | 964 | |
| Xcellence V1-16-128*160-1R1G1B | 6.71X8.39X0.60 | 3.1 - 80.6 | 26/16 | 3463 | 764 | |
| Xcellence V1-16-128*176-1R1G1B | 6.71X9.23X0.60 | 3.1 - 80.6 | 29/16 | 3904 | 809 | |
| Xcellence V1-16-128*192-1R1G1B | 6.71X10.07X0.60 | 3.1 - 80.6 | 32/16 | 4032 | 878 | |
| Xcellence V1-16-128*224-1R1G1B | 6.71X11.75X0.60 | 3.1 - 80.6 | 37/16 | 4912 | 1089 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs - Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information)

Controller - The prices in red are for the Xcellence Series equipped with industrial computer controller, which is video-supportive.

Additional Sizes - May be available upon request.

xcellence[®] 20 Series
Full color Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|-------------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 20 SERIES | | | | | | |
| Xcellence V1-20-16*64-1R1G1B | 1.04X4.19X0.60 | 3.9 - 12.6 | 10/2 | 244 | 82 | |
| Xcellence V1-20-16*96-1R1G1B | 1.04X6.29X0.60 | 3.9 - 12.6 | 16/2 | 378 | 121 | |
| Xcellence V1-20-16*112-1R1G1B | 1.04X7.34X0.60 | 3.9 - 12.6 | 18/2 | 433 | 133 | |
| Xcellence V1-20-16*128-1R1G1B | 1.04X8.39X0.60 | 3.9 - 12.6 | 21/2 | 488 | 147 | |
| Xcellence V1-20-16*144-1R1G1B | 1.04X9.44X0.60 | 3.9 - 12.6 | 24/2 | 567 | 179 | |
| Xcellence V1-20-16*160-1R1G1B | 1.04X10.49X0.60 | 3.9 - 12.6 | 26/2 | 622 | 202 | |
| Xcellence V1-20-16*176-1R1G1B | 1.04X11.54X0.60 | 3.9 - 12.6 | 29/2 | 677 | 213 | |
| Xcellence V1-20-16*192-1R1G1B | 1.04X12.59X0.60 | 3.9 - 12.6 | 32/2 | 756 | 226 | |
| | | | | | | |
| Xcellence V1-20-32*64-1R1G1B | 2.09X4.19X0.60 | 3.9 - 25.2 | 10/4 | 488 | 136 | |
| Xcellence V1-20-32*96-1R1G1B | 2.09X6.29X0.60 | 3.9 - 25.2 | 16/4 | 756 | 212 | |
| Xcellence V1-20-32*112-1R1G1B | 2.09X7.34X0.60 | 3.9 - 25.2 | 18/4 | 866 | 231 | |
| Xcellence V1-20-32*128-1R1G1B | 2.09X8.39X0.60 | 3.9 - 25.2 | 21/4 | 976 | 258 | |
| Xcellence V1-20-32*144-1R1G1B | 2.09X9.44X0.60 | 3.9 - 25.2 | 24/4 | 1134 | 305 | |
| Xcellence V1-20-32*160-1R1G1B | 2.09X10.49X0.60 | 3.9 - 25.2 | 26/4 | 1244 | 347 | |
| | | | | | | |
| Xcellence V1-20-48*64-1R1G1B | 3.14X4.19X0.60 | 3.9 - 37.8 | 10/6 | 732 | 183 | |
| Xcellence V1-20-48*96-1R1G1B | 3.14X6.29X0.60 | 3.9 - 37.8 | 16/6 | 1134 | 291 | |
| Xcellence V1-20-48*112-1R1G1B | 3.14X7.34X0.60 | 3.9 - 37.8 | 18/6 | 1299 | 322 | |
| Xcellence V1-20-48*128-1R1G1B | 3.14X8.39X0.60 | 3.9 - 37.8 | 21/6 | 1464 | 351 | |
| Xcellence V1-20-48*144-1R1G1B | 3.14X9.44X0.60 | 3.9 - 37.8 | 24/6 | 1701 | 419 | |
| Xcellence V1-20-48*160-1R1G1B | 3.14X10.49X0.60 | 3.9 - 37.8 | 26/6 | 1866 | 473 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs - Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information)

Controller - Choose industrial computer controller if you want Xcellence series to be video-supportive.

Additional Sizes - May be available upon request.

xcellence[®] 20 Series
Full color Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|--------------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 20 SERIES | | | | | | |
| Xcellence V1-20-64*96-1R1G1B | 4.19X6.29X0.60 | 3.9 - 50.4 | 16/8 | 1512 | 370 | |
| Xcellence V1-20-64*112-1R1G1B | 4.19X7.34X0.60 | 3.9 - 50.4 | 18/8 | 1732 | 408 | |
| Xcellence V1-20-64*128-1R1G1B | 4.19X8.39X0.60 | 3.9 - 50.4 | 21/8 | 1952 | 444 | |
| Xcellence V1-20-64*144-1R1G1B | 4.19X9.44X0.60 | 3.9 - 50.4 | 24/8 | 2268 | 533 | |
| Xcellence V1-20-64*160-1R1G1B | 4.19X10.49X0.60 | 3.9 - 50.4 | 26/8 | 2488 | 599 | |
| Xcellence V1-20-80*112-1R1G1B | 5.24X7.34X0.60 | 3.9 - 63.0 | 18/10 | 2165 | 495 | |
| Xcellence V1-20-80*128-1R1G1B | 5.24X8.39X0.60 | 3.9 - 63.0 | 21/10 | 2440 | 538 | |
| Xcellence V1-20-80*144-1R1G1B | 5.24X9.44X0.60 | 3.9 - 63.0 | 24/10 | 2835 | 647 | |
| Xcellence V1-20-80*160-1R1G1B | 5.24X10.49X0.60 | 3.9 - 63.0 | 26/10 | 3110 | 726 | |
| Xcellence V1-20-80*176-1R1G1B | 5.24X11.54X0.60 | 3.9 - 63.0 | 29/10 | 3385 | 766 | |
| Xcellence V1-20-96*128-1R1G1B | 6.29X8.39X0.60 | 3.9 - 75.6 | 21/12 | 2928 | 631 | |
| Xcellence V1-20-96*144-1R1G1B | 6.29X9.44X0.60 | 3.9 - 75.6 | 24/12 | 3402 | 761 | |
| Xcellence V1-20-96*160-1R1G1B | 6.29X10.49X0.60 | 3.9 - 75.6 | 26/12 | 3732 | 851 | |
| Xcellence V1-20-96*176-1R1G1B | 6.29X11.54X0.60 | 3.9 - 75.6 | 29/12 | 4062 | 899 | |
| Xcellence V1-20-96*192-1R1G1B | 6.29X12.59X0.60 | 3.9 - 75.6 | 32/12 | 4536 | 953 | |
| Xcellence V1-20-112*144-1R1G1B | 7.34X9.44X0.60 | 3.9 - 88.2 | 24/14 | 3969 | 911 | |
| Xcellence V1-20-112*160-1R1G1B | 7.34X10.49X0.60 | 3.9 - 88.2 | 26/14 | 4354 | 979 | |
| Xcellence V1-20-112*176-1R1G1B | 7.34X11.54X0.60 | 3.9 - 88.2 | 29/14 | 4739 | 1034 | |
| Xcellence V1-20-112*192-1R1G1B | 7.34X12.59X0.60 | 3.9 - 88.2 | 32/14 | 5292 | 1095 | |
| Xcellence V1-20-112*224-1R1G1B | 7.34X14.68X0.60 | 3.9 - 88.2 | 37/14 | 6062 | 1335 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs - Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information)

Controller - The prices in red are for the Xcellence Series equipped with industrial computer controller, which is video-supportive.

Additional Sizes - May be available upon request.

xcellence[®] 20 Series
Full color Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|--------------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 20 SERIES | | | | | | |
| Xcellence V1-20-128*160-1R1G1B | 8.39X10.49X0.60 | 3.9 - 100.8 | 26/16 | 4976 | 1104 | |
| Xcellence V1-20-128*176-1R1G1B | 8.39X11.54X0.60 | 3.9 - 100.8 | 29/16 | 5416 | 1166 | |
| Xcellence V1-20-128*192-1R1G1B | 8.39X12.59X0.60 | 3.9 - 100.8 | 32/16 | 6048 | 1252 | |
| Xcellence V1-20-128*224-1R1G1B | 8.39X14.68X0.60 | 3.9 - 100.8 | 37/16 | 6928 | 1539 | |
| Xcellence V1-20-128*256-1R1G1B | 8.39X16.78X0.60 | 3.9 - 100.8 | 42/16 | 7808 | 1664 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs - Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information)

Controller - The prices in red are for the Xcellence Series equipped with industrial computer controller, which is video-supportive.

Additional Sizes - May be available upon request.

xcellence[®] 25 Series
Full color Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|-------------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 25 SERIES | | | | | | |
| Xcellence V1-25-16*80-2R1G1B | 1.31X6.55X0.60 | 4.9 - 15.7 | 13/2 | 282 | 135 | |
| Xcellence V1-25-16*96-2R1G1B | 1.31X7.86X0.60 | 4.9 - 15.7 | 16/2 | 324 | 151 | |
| Xcellence V1-25-16*112-2R1G1B | 1.31X9.18X0.60 | 4.9 - 15.7 | 18/2 | 402 | 183 | |
| Xcellence V1-25-16*128-2R1G1B | 1.31X10.49X0.60 | 4.9 - 15.7 | 21/2 | 480 | 217 | |
| Xcellence V1-25-16*144-2R1G1B | 1.31X11.80X0.60 | 4.9 - 15.7 | 24/2 | 486 | 234 | |
| Xcellence V1-25-16*160-2R1G1B | 1.31X13.11X0.60 | 4.9 - 15.7 | 26/2 | 564 | 281 | |
| | | | | | | |
| Xcellence V1-25-32*80-2R1G1B | 2.62X6.55X0.60 | 4.9 - 31.5 | 13/4 | 564 | 231 | |
| Xcellence V1-25-32*96-2R1G1B | 2.62X7.86X0.60 | 4.9 - 31.5 | 16/4 | 648 | 269 | |
| Xcellence V1-25-32*112-2R1G1B | 2.62X9.18X0.60 | 4.9 - 31.5 | 16/4 | 804 | 342 | |
| Xcellence V1-25-32*128-2R1G1B | 2.62X10.49X0.60 | 4.9 - 31.5 | 21/4 | 960 | 385 | |
| Xcellence V1-25-32*144-2R1G1B | 2.62X11.80X0.60 | 4.9 - 31.5 | 24/4 | 972 | 413 | |
| Xcellence V1-25-32*160-2R1G1B | 2.62X13.11X0.60 | 4.9 - 31.5 | 26/4 | 1128 | 495 | |
| | | | | | | |
| Xcellence V1-25-48*80-2R1G1B | 3.93X6.55X0.60 | 4.9 - 47.2 | 13/6 | 846 | 319 | |
| Xcellence V1-25-48*96-2R1G1B | 3.93X7.86X0.60 | 4.9 - 47.2 | 16/6 | 972 | 373 | |
| Xcellence V1-25-48*112-2R1G1B | 3.93X9.18X0.60 | 4.9 - 47.2 | 18/6 | 1206 | 474 | |
| Xcellence V1-25-48*128-2R1G1B | 3.93X10.49X0.60 | 4.9 - 47.2 | 21/6 | 1440 | 530 | |
| Xcellence V1-25-48*144-2R1G1B | 3.93X11.80X0.60 | 4.9 - 47.2 | 24/6 | 1458 | 569 | |
| Xcellence V1-25-48*160-2R1G1B | 3.93X13.11X0.60 | 4.9 - 47.2 | 26/6 | 1692 | 680 | |

Important Notes:

- Cancellation** - Order cancellations are subject to a charge of 25% of the List Price.
- Price of double-side signs** - Twice of that of single-side signs listed above.
- Multiple Signs on One Order** - When placing orders for multiple signs, please specify on your order:
Master/Master Configuration (each sign capable of displaying different information) - OR -
Master/Slave Configuration (each sign will display the same information)
- Controller** - Choose industrial computer controller if you want Xcellence series to be video-supportive.
- Additional Sizes** - May be available upon request.

xcellence[®] 25 Series
Full color Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|-------------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 25 SERIES | | | | | | |
| Xcellence V1-25-64*96-2R1G1B | 5.24X7.86X0.60 | 4.9 - 63.0 | 16/8 | 1296 | 481 | |
| Xcellence V1-25-64*112-2R1G1B | 5.24X9.18X0.60 | 4.9 - 63.0 | 18/8 | 1608 | 652 | |
| Xcellence V1-25-64*128-2R1G1B | 5.24X10.49X0.60 | 4.9 - 63.0 | 21/8 | 1920 | 674 | |
| Xcellence V1-25-64*144-2R1G1B | 5.24X11.80X0.60 | 4.9 - 63.0 | 24/8 | 1944 | 725 | |
| Xcellence V1-25-64*160-2R1G1B | 5.24X13.11X0.60 | 4.9 - 63.0 | 26/8 | 2256 | 864 | |
| | | | | | | |
| Xcellence V1-25-80*112-2R1G1B | 6.55X9.18X0.60 | 4.9 - 78.7 | 18/10 | 2010 | 738 | |
| Xcellence V1-25-80*128-2R1G1B | 6.55X10.49X0.60 | 4.9 - 78.7 | 21/10 | 2400 | 820 | |
| Xcellence V1-25-80*144-2R1G1B | 6.55X11.80X0.60 | 4.9 - 78.7 | 24/10 | 2430 | 882 | |
| Xcellence V1-25-80*160-2R1G1B | 6.55X13.11X0.60 | 4.9 - 78.7 | 26/10 | 2820 | 1050 | |
| Xcellence V1-25-80*176-2R1G1B | 6.55X14.42X0.60 | 4.9 - 78.7 | 29/10 | 3210 | 1110 | |
| Xcellence V1-25-80*192-2R1G1B | 6.55X15.73X0.60 | 4.9 - 78.7 | 32/10 | 3600 | 1171 | |
| | | | | | | |
| Xcellence V1-25-96*128-2R1G1B | 7.86X10.49X0.60 | 4.9 - 94.5 | 21/12 | 2880 | 965 | |
| Xcellence V1-25-96*144-2R1G1B | 7.86X11.80X0.60 | 4.9 - 94.5 | 24/12 | 2916 | 1037 | |
| Xcellence V1-25-96*160-2R1G1B | 7.86X13.11X0.60 | 4.9 - 94.5 | 26/12 | 3384 | 1234 | |
| Xcellence V1-25-96*176-2R1G1B | 7.86X14.42X0.60 | 4.9 - 94.5 | 29/12 | 3852 | 1336 | |
| Xcellence V1-25-96*192-2R1G1B | 7.86X15.73X0.60 | 4.9 - 94.5 | 32/12 | 4320 | 1408 | |
| Xcellence V1-25-96*224-2R1G1B | 7.86X18.36X0.60 | 4.9 - 94.5 | 37/12 | 4824 | 1769 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs - Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:

Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information)

Controller - The prices in red are for the Xcellence Series equipped with industrial computer controller, which is video-supportive.

Additional Sizes - May be available upon request.

xcellence[®] 32 Series
Full color Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|-------------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 32 SERIES | | | | | | |
| Xcellence V1-32-16*48-2R2G1B | 1.67X5.03X0.60 | 6.3 - 20.2 | 8/2 | 298 | 130 | |
| Xcellence V1-32-16*64-2R2G1B | 1.67X6.71X0.60 | 6.3 - 20.2 | 10/2 | 374 | 157 | |
| Xcellence V1-32-16*80-2R2G1B | 1.67X8.39X0.60 | 6.3 - 20.2 | 13/2 | 485 | 202 | |
| Xcellence V1-32-16*96-2R2G1B | 1.67X10.07X0.60 | 6.3 - 20.2 | 16/2 | 561 | 241 | |
| Xcellence V1-32-16*128-2R2G1B | 1.67X13.42X0.60 | 6.3 - 20.2 | 21/2 | 748 | 323 | |
| Xcellence V1-32-16*160-2R2G1B | 1.67X16.78X0.60 | 6.3 - 20.2 | 26/2 | 970 | 413 | |
| | | | | | | |
| Xcellence V1-32-24*48-2R2G1B | 2.51X5.03X0.60 | 6.3 - 30.2 | 8/3 | 458 | 211 | |
| Xcellence V1-32-24*64-2R2G1B | 2.51X6.71X0.60 | 6.3 - 30.2 | 10/3 | 571 | 249 | |
| Xcellence V1-32-24*80-2R2G1B | 2.51X8.39X0.60 | 6.3 - 30.2 | 13/3 | 743 | 346 | |
| Xcellence V1-32-24*96-2R2G1B | 2.51X10.07X0.60 | 6.3 - 30.2 | 16/3 | 880 | 416 | |
| Xcellence V1-32-24*128-2R2G1B | 2.51X13.42X0.60 | 6.3 - 30.2 | 21/3 | 1143 | 494 | |
| Xcellence V1-32-24*160-2R2G1B | 2.51X16.78X0.60 | 6.3 - 30.2 | 26/3 | 1487 | 629 | |
| | | | | | | |
| Xcellence V1-32-32*48-2R2G1B | 3.35X5.03X0.60 | 6.3 - 40.3 | 8/4 | 596 | 251 | |
| Xcellence V1-32-32*64-2R2G1B | 3.35X6.71X0.60 | 6.3 - 40.3 | 10/4 | 748 | 296 | |
| Xcellence V1-32-32*80-2R2G1B | 3.35X8.39X0.60 | 6.3 - 40.3 | 13/4 | 970 | 422 | |
| Xcellence V1-32-32*96-2R2G1B | 3.35X10.07X0.60 | 6.3 - 40.3 | 16/4 | 1122 | 454 | |
| Xcellence V1-32-32*128-2R2G1B | 3.35X13.42X0.60 | 6.3 - 40.3 | 21/4 | 1496 | 584 | |
| Xcellence V1-32-32*160-2R2G1B | 3.35X16.78X0.60 | 6.3 - 40.3 | 26/4 | 1940 | 745 | |

Important Notes:

- Cancellation** - Order cancellations are subject to a charge of 25% of the List Price.
- Price of double-side signs** - Twice of that of single-side signs listed above.
- Multiple Signs on One Order** - When placing orders for multiple signs, please specify on your order:
Master/Master Configuration (each sign capable of displaying different information) - OR -
Master/Slave Configuration (each sign will display the same information)
- Controller** - Choose industrial computer controller if you want Xcellence series to be video-supportive.
- Additional Sizes** - May be available upon request.

xcellence[®] 32 Series
Full color Smart LED Display system

| Model | Dimensions (feet) | Character Height (inch) | 5.5" Characters Per Line | Power (w) | Weight (lbs) | Price (\$) |
|-------------------------------|-------------------|-------------------------|--------------------------|-----------|--------------|------------|
| THE 32 SERIES | | | | | | |
| Xcellence V1-32-48*64-2R2G1B | 5.03X6.71X0.60 | 6.3 - 60.5 | 10/6 | 1143 | 418 | |
| Xcellence V1-32-48*80-2R2G1B | 5.03X8.39X0.60 | 6.3 - 60.5 | 13/6 | 1487 | 558 | |
| Xcellence V1-32-48*96-2R2G1B | 5.03X10.07X0.60 | 6.3 - 60.5 | 16/6 | 1760 | 634 | |
| Xcellence V1-32-48*128-2R2G1B | 5.03X13.42X0.60 | 6.3 - 60.5 | 21/6 | 2286 | 819 | |
| Xcellence V1-32-48*160-2R2G1B | 5.03X16.78X0.60 | 6.3 - 60.5 | 26/6 | 2973 | 1051 | |
| | | | | | | |
| Xcellence V1-32-64*80-2R2G1B | 6.71X8.39X0.60 | 6.3 - 80.6 | 13/8 | 1940 | 721 | |
| Xcellence V1-32-64*96-2R2G1B | 6.71X10.07X0.60 | 6.3 - 80.6 | 16/8 | 2244 | 815 | |
| Xcellence V1-32-64*128-2R2G1B | 6.71X13.42X0.60 | 6.3 - 80.6 | 21/8 | 2992 | 1054 | |
| Xcellence V1-32-64*160-2R2G1B | 6.71X16.78X0.60 | 6.3 - 80.6 | 26/8 | 3880 | 1389 | |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Price of double-side signs - Twice of that of single-side signs listed above.

Multiple Signs on One Order - When placing orders for multiple signs, please specify on your order:


Master/Master Configuration (each sign capable of displaying different information) - OR -

Master/Slave Configuration (each sign will display the same information)

Controller - Choose industrial computer controller if you want Xcellence series to be video-supportive.

Additional Sizes - May be available upon request.

Xtreme[®]
Smart LED Billboard system




Xtreme[®] 16/20 Series
Smart LED Billboard system

- Large size full-color sign 16/20
- Large size, wide range of functions, video formats supported.
- Widely applied in squares, stadiums, theaters, large billboards, airports, train stations, shopping malls and so on.
- Software is of comprehensive functions with synchronous computer control system, remote management and monitoring.

Model Number Guide:

Xtreme V1-20-80*160-1R1G1B











ThinkSign Xtreme series can be fully customized according to the requirements of our customers. You can tell us the exact ideal size of your sign. And then we will figure out the price, weight, and other related parameters for your reference promptly.

Accessories

Module

USD

| | | | | | |
|---|--------------------------|---------------------------------------|--|-----|------|
| I | Module Monochrome | X16: 16*16, 1R X16-1104-1R |  | 96 | 1 PC |
| | | X20: 16*16, 2R X20-1103-2R |  | 132 | 1 PC |
| | | X25: 8*16, 2R X25-1097-2R |  | 76 | 1 PC |
| | | X32: 8*8, 4R X32-1104-4R |  | 72 | 1 PC |
| | Module Color | X16: 16*16, 1R1G1B X16-1052-1R1G1B |  | 182 | 1 PC |
| | | X20: 16*16, 1R1G1B X20-1069-1R1G1B |  | 222 | 1 PC |
| | | X25: 8*16, 2R1G1B X25-1097-2R1G1B |  | 128 | 1 PC |
| | | X32: 8*8, 2R2G1B X32-1104-2R2G1B |  | 100 | 1 PC |








Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Voltage - Please be sure to specify voltage requirements (110V or 220V) when placing an order.

Accessories

Controller & Communication

| | | | | USD | |
|------------|----------------------|------------------------------------|--|------|------|
| II | Controller | Control Card CON-3379C |  | 200 | 1 PC |
| | | Industrial Computer CON-ARK3380 |  | 1400 | 1 PC |
| | | Sending Card CON-TS801 |  | 300 | 1 PC |
| | | Receiving card CON-RV801 |  | 120 | 1 PC |
| | | Multi-function Card CON-EX701 |  | 130 | 1 PC |
| III | Communication | USB-232 Converter PART-U-232-A |  | 15 | 1 PC |
| | | WIFI AP Bridge PRAT-EOC-2611-A |  | 140 | 1 PC |



Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Voltage - Please be sure to specify voltage requirements (110V or 220V) when placing an order.

Accessories Components

USD









| | | | | | |
|-----------|-------------------|--|---|----|-------|
| IV | Components | AC Leading-in Box PART-ACIN-A |  | 50 | 1 PC |
| | | AC Distribution Box PRAT-ACHUB-A |  | 20 | 1 PC |
| | | DC Distribution Box PART-DCHUB-A |  | 15 | 2 PCS |
| | | Signal Leading-in Box PART-SIGNAL-A |  | 30 | 1PC |
| | | Through-hole Mount PART-HOLE-A |  | 30 | 4 PCS |
| | | Fan / Fan Controller PART-FAN-A |  | 25 | 1PC |
| | | Brightness Sensor Box PART-LUM-A |  | 45 | 1PC |
| | Sensor | Temperature Sensor Box PART-TEMP-A |  | 45 | 1PC |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Voltage - Please be sure to specify voltage requirements (110V or 220V) when placing an order.

Accessories Components

| | | | USD | |
|---------------------|---------------------------------------|---|-----|-------------|
| Power Supply | 350W POW-350-5 |  | 45 | 1 PC |
| | 100W POW-100-12 |  | 30 | 1 PC |
| Cable | DC Wire CABLE-DC4-A |  | 15 | 5PCS 1 m |
| | AC Wire CABLE-AC3-A CABLE-AC3-B |  | 15 | 2/2PCS |
| | Flat Wire CABLE-RIBBON-A |  | 15 | 5 PCS 1m |
| | Outdoor Com Cable CABLE-COM-A |  | 15 | 1PC |
| | Internet Cable CABLE-NET-A |  | 15 | 2PCS 10m |
| | HDMI Cable CABLE-HDMI-A |  | 40 | 1 PC 5m |

Important Notes:

Cancellation - Order cancellations are subject to a charge of 25% of the List Price.

Voltage - Please be sure to specify voltage requirements (110V or 220V) when placing an order.